

Patents Relating to Radionics and Dowsing

by Tony Scofield

(This article is modified from the original since the accessing of patents is now available from <http://ep.espacenet.com> rather than from the British Patent Office and the instructions on the site are clear and simple and no further explanation is therefore necessary here).

Since the Patent Office has gone on-line (www.patent.gov.uk) all the patents since 1920 (for GB; different dates for other countries) are now available over the Internet. The files are best accessed through <http://ep.espacenet.com>. The US Patent office is also on-line at www.uspto.gov/patft/index.html. A number of patents from around the world are also available although not all are available as a full description. Some patents have 'equivalents' where they have been taken up in a number of countries.

Below is a list of ones I have located but locating relevant ones requires putting in the correct key-words and it is almost certain that there are others of interest that I have missed. I have only included those for which at least an English abstract is available and the titles of non-English texts are normally given in English. If readers know of others then please let me know, as I will add them to the list. Letters to the office at Baerlein House over the years are testament to interest, particularly for researchers, in the patents available. It is quite clear that by far and away the most common area for patents related to our dowsing interests is prevention of geopathic stress by interference with 'earth rays' or grids.

To access the files go to <http://ep.espacenet.com> and use the quick search facility to obtain the patent either by typing in the number (including the GB or other prefix) or some key words.

Updated 7/3/2005

Please notify me of any new patents that may be of interest to readers.

webmaster@radionic.co.uk

Inventor	Date	Title	Number	Description
----------	------	-------	--------	-------------

Pendulums and divining rods

Schermuly, P.	1921	Improvements in apparatus of the divining-rod type for detecting the presence of subterranean substances and for like purposes	GB146840	Pendulum attached to sprung clip by a screwed rod in such a way that amplitude of oscillation can be measured
Schermuly, P.	1921	Improvements in apparatus of the divining-rod type for detecting the presence of subterranean substances and for like purposes	GB147052	Modification of above to measure also speed of rotation of pendulum
Schermuly, P.	1921	Improvements in or relating to apparatus of the divining-rod type	GB147186	A pendulum to contain a witness in interior cavity
Schermuly, P.	1922	Procédé et appareil du genre de la baguette des sourciers pour indiquer la présence de l'eau, des minéraux, du charbon, de l'huile minérale, ainsi que pour étudier les substances parémanation	FR534054	Essentially the three GB patents above in one
Chaumery, L., J. & M. & de Bézizal, A., M. & P.	1937	Procédé et appareillage radiesthésiques	FR816132	A novel pendulum with natural magnetic poles for use in a radiesthetic procedure based on terrestrial magnetism
Borgni, J.	1980	Pendulums for radiesthesia or water divining	GB1573007 (Also FR2592961; 1987)	Pendulum with tuned electronic detector circuit incorporated
De Marly, F.	1985	Pendentif radiesthésique	FR2566243	Pendulum with amplifying properties conferred by a geometrical pattern
Kruhler, W.	1985	Divining rod	GB2159856	One-handed adjustable divining rod
Roth, J.	1985	Pendulum for radiesthetic purposes	DE3339818	Bob pendulum with a storage cap with clip (like a pen cap)
Xulomenos, D.	1986	Improved horizontal metallic dowsing instruments	GR861456	Balanced telescopic dowsing rod (Application in Greek)

Jaeger, H-E	1989	Divining rod with sensitivity control	DE3806435	Angle rods with moveable sleeve on the horizontal arms to alter sensitivity
Schneider, R.	1991	Antenna for use as divining rod or for scientific investigation – has separate conductors in resonator circuit dimensioned to match transmission chamber characteristic impedance	DE4011344	Similar to the Lecher antenna i.e. two arms held by the hands with a sliding scale along which a cursor moves as a dowsing reaction occurs
Fazzi, G.	1992	Test device determining sensitivity to radiation	DE4116941	Has metal tube with handle containing extractable spring element in form of wire with non-magnetic ballast weight to act as pendulum
Wehrlen, R.	1995	Pendule radiesthésique équipé d'une diode laser	FR2711536	Electronic pendulum with a diode, for amplification of reaction
Kramer, F.	1995	Test instrument for divining	DE4341366	An adjustable and calibrated dowsers' wand
Keding, C.R.	1996	Divining-rod for detecting geobiological stimuli	DE4423279	Two forked arms connected by electrical conductors which can slide relative to the fork arms. Latter may be connected to voltage source
Gruenau, D.	1996	Deflection measuring device for divining rod	DE19517828	Device that measures swing of rod along its path and can record to computer via an electrical circuit or can utilise a GPS receiver.
Gerber, R.	1999	Baguette de sourcier a ondes de formes modulables	FR2774177	Device emits divining waves and when there is synchronisation with object being investigated a needle on the divining stick rotates on couplings

(Not seen: GB Patent 979 (1912) for a device for locating the presence of water, minerals and the like in which a recording device is provided in conjunction with a divining rod for recording the amount of attraction or pull upon the same when in use. (For details see Schmeruly's patent 147,052)

Methodology

Bon, M.	1950	Radiesthetic method based on novel carrier for witnesses	FR959265	Essentially a novel witness carrier
Angermann, T.	1987	Radiation-measuring device employing the principle of a divining rod	DE3600505	Device to measure electric, magnetic and em fields and other unusual rays (e.g. earth rays giving rise to geopathic stress)
Decaix, R. & Labroille, C.	1995	Device for measuring the Vibrant Energies emitted by matter	FR2710745	Graduated plate onto which 'wave generators' are placed. Dowsing required.
Wehrlen, R.	1995	Dispositif d'émission photonique coloré adaptable sur tous les instruments sensitifs radiesthésiques	FR2716115	Simple switching system to light coloured lamps or LEDs to be used in vibratory radiesthesia
Matthaei, H.	2001	Method for producing and measuring informative life energy units, copy thereof on a substrate, verification and uses thereof	WO0104625	Method of measuring informative life energy units (radiesthetically or physically) and transfer to a substrate such as water

Radionic Instrumentation

Boyd, W.E.	1923	Instrument for detecting and investigating emanations proceeding from substances	GB198018	The Emanometer, a modification of Abrams system
Hoffman, S.O.	1923	Circuit-controlling device	US1445951	The circuit breaker for Abrams' Oscilloclast
Boyd, W.E.	1925	Apparatus for detecting and investigating emanations	GB235926	Modification of 198,018 involving incorporation of a variable condenser
Boyd, W.E.	1925	Improvements in the detection and investigation of emanations	GB239457	Improvements on GB198018 by metallic screening
Holzheimer, A.	1927	Device for testing the radiations emanating from organisms	GB272023	Box into which witness is placed and can be joined to various painted cells in other part of box. Tests to determine requirements of witness done by dowsing as different connections are made.

Drown, R.	1939	Method of and means for obtaining photographic images of living and other objects	GB515866	The Drown radionic camera
Atkinson, D.W.	1949	A new or improved apparatus for use in the study and practice of radiesthesia	GB626396	A device utilising a light beam projected via a prism onto a ruled surface. Blood on a slide, when placed between light source and prism alters the position of the projected spectrum and may give useful medical information. May be used in conjunction with other apparatus currently used in radiesthesia.
Hieronimus, T.G.	1949	Detection of emanations from materials and measurement of the volumes thereof	US2482773 GB663978 (1952; Slightly shorter version)	A tuneable electronic device for detecting chemical elements which relies on a stick pad to determine correct settings
De la Warr, G.W.	1955	Perfectionnements à la recherche d'une radiation fondamentale	FR1084318	Delawarr radionic camera
De la Warr, G.W.	1955	Therapeutic apparatus	GB741651	The Colorscope
Orton, T.B.	1955	Improvements in electrical apparatus for the therapeutic treatment of disease	GB735290	Apparatus for curative treatment of disease by radiation of high frequency electrical energy from the earth. Uses witness and may be adapted for direct or distant treatment
De la Warr, G.W.	1956	Therapeutic apparatus	GB761976	A simpler version of the Colorscope using spirals and an infra-red lamp
Bage, J.B.	1991	Electro magnetic radionic camera	GB2236647	Radionic camera incorporating an infra-red sensor
Cherdron, E.	1993	Normalisation of energy states of biological systems, organs or glands – using two-phase treatment with application of controlled dose of bio-effective radiation to negate measured deviation from normal activity	DE4204709	Uses Copen Mk 5 (or other) radionic instrument to determine deviation from optimum of organic energy states. Treated by time-limited doses of bio-energetic radiation until zero deviation.

Cherdron, E.	1994	Method for permanent optimisation of bioenergetic states	DE4308523	Use of Copen Radionic Analytical Computer Mk5 to detect and eliminate positive or negative bioenergetic rays in the human environment
--------------	------	--	-----------	---

(Not seen but reported by various authors: Arthur Whiting, Victoria, BC, Canada, 1923 'Improvements in or relating to apparatus for use in the diagnosis and treatment of disease')

Removal of Earth Rays and Geopathic Stress

Von Pohl, G.	1930	A method of, and apparatus for, preventing damage by terrestrial electric radiations, and utilizing such radiations	GB338268	An electrically conductive screen embedded underground with an electric conductor leading from screen to remote place
Von Pohl, G.	1933	Apparatus for preventing damage by electric earth currents and earth radiations	GB386471	Modification of previous patent to use two or more connected screens
Stettner, E.	1933	Method and apparatus for neutralizing or changing rays	GB385987	Pyramid with reflectors of ray screening materials e.g. lead
Mieremet, J.G.	1952	Apparatus for influencing divining rod reactions and a method of using same	GB683173	Apparatus which includes a copper ring used in removing 'earth rays' which affect health and the dowsing reaction
Edwards, W.G.	1957	A device for screening or neutralising dowsing rays or fields	GB766886	Edwards 'earth ray' neutralising screen consisting of a honeycomb array of copper rings
Schmidt, P.	1984	Method for determining geopathogenic zones	DE3304742	Area covered with network of discrete radiation absorbers which are subsequently excited and wavelength of resonant frequency determined
Still, F., Rejdak, Z., Flegel, J., Chlubna, K.	1984	Device for finding and determining the position and shape of geopathogenic zones and anomalies in a solid and/or liquid medium	DE3300671	Device for measuring mechanical resonance in an object
Donatsch, B.	1985	Apparatus for the suppression of distortion on radiesthetic rays	DE3501532	Electrical apparatus containing coil, capacitor and aerial to respond to and correct radiesthetic rays

Dupin, J.	1985	Device sensing telluric and cosmic waves and inhibiting their effects	FR2554354	One or several oscillating circuits formed of rings set on a bar. Oriented horizontal and northwards
Dupin, J.	1986	Device for picking up telluric and cosmic waves and inhibiting their effects	FR2576515	Specifically described cylindrical spiral
Rehm, S.	1986	Apparatus for the directed deflection or screening of so-called earth radiation – geopathogenic zones – and other sources of interference, such as television antennas and high-tension-line towers and of other radiators	DE3433292	Various antennas in conjunction with tubular sleeves which serve as wave guides emit a deflecting or neutralising radiation
Spletter, E.	1986	Method of changing the field of earth radiation with natural products	DE3604405	Uses natural, fully biological product
Spletter, E.	1986	Method of changing the field of earth radiation with natural products	DE3607514	Use of sleep to change the 'biological earth-radiation field'
Herdel, H.	1987	Device for screening off radiation, grids and grid lines	DE3544229 (see also WO8703496)	Use of plastic films or wax plates stacked like a battery
Karremann, A.	1987	Device for the elimination of stimuli radiesthetically obtainable on geopathogenic stimulus strips	DE3543765	Uses a specially constructed pyramid to screen the radiation
Sinico, L. & Danizan, M.C.	1987	Telluric-wave sensor	FR2599861	Casing containing complex arrangement of wire wound into various coil shapes and connected to a coil outside the box
Herdel, H.	1988	Device for suppressing radiation, grid systems and lines in grid systems	DE3628494	As DE3544229 Also WO8801184 (1988)
Birke, M.	1989	Flat shielding roll and method of producing it	DE3726695	Wound and earthed Al foil
Haemmerle, F., Haemmerle, M.	1989	Protective device for geopathic radiation – has coil and parallel resistance coupled at one to earth lead	CH671338	Use of coil
Basles, D.	1991	Biotic earthing device	FR2650125	Cylinder filled with a mixture of carbon and minerals buried in ground. Resistance of connecting wire is adjustable

Behre, D.	1991	Radiation protector for living spaces, work-place, bedroom – has vertical fixture on platform for oscillating circuits and dipoles of various metals facing in different directions	DE4009003	Uses vertical Al rings facing different directions and stacked in wood or plastic structure or in a non-metallic pyramid
Ludwig, W.	1991	Emulsion from bee products	EP0444673	Emulsion from bee products or materials saturated with it cancel geopathic noise signals
Rudolf, H.	1991	Device for neutralizing geological influences and/or interference zone influences	AT393084B	Automatic tuning pulse generator (1-24Hz) connected to input and output antenna(s)
Schulte, U.E.	1991	Shielding apparatus rendering radiation containing EM waves harmless – has inductive coupling between series of coils of metal wire and radiation shunt	DE3915832	Uses rectangularly wound coils, a metal coil shunt and inductive coupling
Schulte, U.E.	1991	Electromagnetic radiation screening or suppressing equipment – comprising conductive coils for diverting natural and artificial radiation	DE4014118	Use of clockwise and anti-clockwise wound coils and spirals
Garvy Jr., J.W.	1992	Personal space shielding apparatus	US5153378	Shields of ferrous, wire mesh screening which is grounded via the wall socket ground
Berthold, E.	1993	Device for absorbing harmful radiation	AT395820B	Device comprising a ferrite ring core, antennae, copper winding, inductor, capacitor
Ludwig, W.	1993	Derivation cable for disturbances of the environment	EP0525353	Metal inserts in beds with magnetic strips and connected to ferrite inductor discharges geopathic 'chargings'
Mohorn, W.	1994	(Device for producing electrosmotic effects)	AT397681B	Device using coils for producing electrosmotic effects e.g. for dehumidifying masonrywork, increasing ground moisture and for damping geopathogenic trouble areas

Pilmes, B.	1994	Collector for radiation emitted from earth and underground water – comprises sodium iodide gamma ray absorber attached to electrical conductor	FR2696012	Comprises sodium iodide gamma ray absorber attached to electrical conductor
Altorfer, A.	1995	Earth's radiation screening plate	CH685858	Use of a mirror
Schirato, B.	1995	Protection device against magnetic fields	EP0642807	Rectangular device with magnetic strips which deflect the field
Artmann, P., Kempe, N., Leopold, H.	1996	Process for detecting geopathogenic areas	WO9622552	Electronic magnetic field detector output in presence of person in the area being a measure of the geopathogenic effect on the person
Mounier, J.E.	1996	Cosmo-telluric harmonising method e.g. for radiation protection	FR2724262	Use of 4 non-magnetic cup shaped sections which resonate harmful incoming radiation
O'Donnell, J.J.	1996	Apparatus for combating the effects of geopathic stress	IE950983 (IE68066)	Arrangement of insulated copper loops
Bonomo, D.	1998	Multilayer panel for shielding from the influences of geopathogenic regions	EP08447774	Multilayer panel of at least two mutually opposite outer layers of geotextile material and inside at least one layer each of pressed cork, aluminium and copper grid
Gorjukhin, A.S., Dubrov, A.P., Kravchenko, J.P., Savel, E.A.V.	1998	Method of protection against electromagnetic anomalies at earth surface	RU2118181	Method involves determining objective noise phase-frequency characteristics of earth radiation
Hardiman, I.D.	1999	Earth ray defence assembly	GB2335444 (Application)	A non-magnetisable assembly placed across width of earth ray
Hatanaka, T.	1999	Ceramic plates for removing spiritual energy	JP11128060	Disc shaped ceramic plate to remove negative spiritual energy
Kolchina, E.V.	1999	Diffraction grating for protection against radiations of the earth geopathogenic zones	RU2127614	Diffraction grating made of metal rings 5-30 cm diam. of various metals
Korotkov, A.V.	1999	Method for converting geopathogenic zones into beneficial zones on vast territories	RU2139107	Buries steel fittings connected to natural mineral in wells 5-20 m deep. Connects up all the geopathogenic zones.

Luginger, H.	1999	Protection against terrestrial radiation and ground-water arteries	WO9966981	A multilayered mat of cork, Al foil, polystyrene foam (7 layers in total)
Korotkov, A.V.	2000	Method of imparting to material of properties protective from effect of biological fields	RU2143932	Cotton treated with crushed mixture of dried fruits, herbs, tea, onion bulb scale.
Korotkov, A.V.	2000	Material for inversion of negative biological field	RU2144388	Uses cotton cloth impregnated with potato starch
Salamberidze, E.	2000	Neutralizer of radiation from geopathogenic zones (variants)	MD1522F	Dielectric plate or powder. (Materials are named.)
Schaefer, D.	2000	Crystal compositions and filled balls, useful in building, fixture or fitting for neutralizing electrical smog and computer, electrobiological and geopathic radiation, contain e.g. smoky quartz, obsidian, rose quartz and tourmaline	DE19919695	(Described in title)
Kweon, G-H	2001	Interception method of earth ray	WO0136754	Use of magnets to intercept the rays
Kweon, K.-H.	2001	Harmful earth-ray shielding system	WO0137625	Device that generates magnetic field from a number of generators to provide an effective shield for the space
Leightner, D.E. & Leightner, P.E.	2001	System and method for protecting against geopathic radiation	EP1127585	Use of mica to block geopathic radiation
Paszta, S.	2001	Method of neutralising underground water courses' radiation	WO0156648 (PL338207)	Devices buried at crossing points of underground streams and connected to earthing conductor distant to the streams
Umarov, M.G., Boychenko, V.S., Umarov, G.R.	2001	Method for determining a geo-pathogenic area from anomalies in the earth's electrostatic field in residential areas	EP1103827	Measurement of electrostatic field in inhabited area and comparison with background level

Games

Curchod, J.	1991	Jeu de pendules de radiesthésie	CH678573	A game with 12 pendulums of different periods of oscillation
-------------	------	---------------------------------	----------	--

Klamer, R. & Levy, M.	1972	Magnetic divining rod game equipment	US3640537	Complex divining rod device (also described in Venditti, 1973)
Venditti, A.P.	1973	Adjustable divining rod device	US3717950	Equipment for a game, including a divining rod device, gameboard and playing cards

Miscellaneous

Lakhovsky, G.	1929	Improvements in or relating to apparatus for collecting electrical oscillations	GB322485	Means for collecting cosmic rays for living organisms
Lakhovsky, G.	1933	An apparatus adapted to produce electric fields of high frequency having multiple wave lengths	GB400257 (also BE387612)	Description of his multiple wave oscillator
Lakhovsky, G.	1934	Apparatus with circuits oscillating under multiple wave lengths	US1962565	Description of his multiple wave oscillator
Samon, S.W.	1992	Portrait camera with aura recording means	US5132714	Aura colours generated from information from a system of electrodes on the subject and projected onto the natural image in the camera
Baldas, O., Hanke, A.	1996	Camera for Kirlian photography	DE4447325	Kirlian device that uses conventional lenses

